

The Dangers of Raw Milk: Unpasteurized Milk Can Pose a Serious Health Risk

[Download in PDF \(/media/119383/download\)](/media/119383/download)

[Descargar en PDF \(/media/84522/download\)](/media/84522/download)

[Video](#)



Feedback

Milk and milk products provide a wealth of nutrition benefits. But raw milk, i.e., unpasteurized milk, can harbor dangerous germs that can pose serious health risks to you and your family.

According to the Centers for Disease Control and Prevention (CDC), from 1998 through 2018, there were 202 outbreaks linked to drinking raw milk. These outbreaks caused 2,645 illnesses and 228 hospitalizations. CDC points out that most foodborne illnesses are not a part of recognized outbreaks, and for every illness reported, many others occur.

Raw milk is milk from cows, sheep, and goats — or any other animal — that has not been pasteurized to kill harmful germs. Raw milk can carry dangerous germs such as *Salmonella*, *E. coli*, *Listeria*, *Campylobacter*, and others that cause foodborne illness, often called “food poisoning.”

These germs can seriously injure the health of anyone who drinks raw milk or eats products made from raw milk. However, the germs in raw milk can be especially dangerous to people with weakened immune systems (such as transplant patients and individuals with HIV/AIDS, cancer, and diabetes), children, older adults, and pregnant women. In fact, CDC finds that foodborne illness from raw milk especially affects children and teenagers.

"Pasteurized Milk" Explained

Pasteurization is a widely used process that kills harmful germs by heating milk to a specific temperature for a set period of time. First developed by Louis Pasteur in 1864, pasteurization kills harmful organisms responsible for such diseases as listeriosis, typhoid fever, tuberculosis, diphtheria, Q fever, and brucellosis.

The Dangers of *Listeria* and Pregnancy

Pregnant women run a serious risk of becoming ill from the germ *Listeria*, which is often found in raw milk and can cause miscarriage, or illness, or death of the newborn baby. If you are pregnant, drinking raw milk — or eating foods made from raw milk — can harm your baby even if you don't feel sick.

Raw Milk and Serious Illness

Symptoms and Advice

Symptoms of foodborne illness usually include:

- Vomiting, diarrhea, and abdominal pain
- Flu-like symptoms such as fever, headache, and body ache

While most healthy people will recover from an illness caused by harmful germs in raw milk — or in foods made with raw milk — within a short time, some can develop symptoms that are chronic, severe, or even life-threatening. If you or someone you know becomes ill after consuming raw milk or products made from raw milk — or if you are pregnant and think you may have consumed contaminated raw milk or cheese — see a healthcare professional immediately.



Raw Milk & Pasteurization: Debunking Milk Myths

While pasteurization has helped provide safe, nutrient-rich milk and cheese for over 120 years, some people continue to believe that pasteurization harms milk and that raw milk is a safe, healthier alternative.

Here are some common myths and proven facts about milk and pasteurization:

- Pasteurizing milk **DOES NOT** cause lactose intolerance and allergic reactions. Both raw milk and pasteurized milk can cause allergic reactions in people sensitive to milk proteins.

- Raw milk **DOES NOT** kill dangerous pathogens by itself.
- Raw milk marketed for pets and animals **IS NOT** safe for people to drink.
- Pasteurization **DOES NOT** reduce milk's nutritional value.
- Pasteurization **DOES NOT** mean that it is safe to leave milk out of the refrigerator for extended time, particularly after it has been opened.
- Pasteurization **DOES** kill harmful germs.
- Pasteurization **DOES** save lives.

When in Doubt — Ask!

- **Read the label.** Safe milk will have the word “pasteurized” on the label. If the word “pasteurized” does not appear on a product’s label, it may contain raw milk.
- Don’t hesitate to **ask your grocer or health food store clerk** whether milk or cream has been pasteurized, especially milk or milk products sold in refrigerated cases.
- Don’t buy milk or milk products at farmers’ markets or roadside stands **unless you can confirm** that they have been pasteurized.

Is Your Homemade Ice Cream Safe?

Each year, homemade ice cream causes serious outbreaks of infection from *Salmonella*. The ingredient responsible is raw or undercooked eggs. If you choose to make ice cream at home, use a pasteurized egg product, egg substitute, or pasteurized shell eggs in place of the raw eggs in your favorite recipe. There are also many egg-free ice cream recipes available.

Protect Your Family with Wise Food Choices

The majority of commercial milk and milk products sold in the United States contains milk or cream that has been pasteurized. Raw milk or foods made with raw milk may be harmful to your health. To avoid getting sick from the dangerous germs often found in raw milk, you should choose your milk and milk products carefully. Follow these guidelines:

Low Risk Choices

- **Pasteurized** milk or cream
- **Pasteurized** hard cheeses such as cheddar
- **Pasteurized** extra hard grating cheeses such as Parmesan
- **Pasteurized** soft cheeses, such as Brie, Camembert, blue-veined cheeses
- Processed cheeses
- Cream cheese, cottage cheese, and Ricotta cheese made from **pasteurized** milk
- Yogurt made from **pasteurized** milk
- Pudding made from **pasteurized** milk
- Ice cream or frozen yogurt made from **pasteurized** milk

High Risk Choices

- Unpasteurized milk or cream
 - Unpasteurized soft and hard cheeses
 - Unpasteurized queso fresco-type cheeses
 - Yogurt made from unpasteurized milk
 - Pudding made from unpasteurized milk
 - Ice cream or frozen yogurt made from unpasteurized milk
-

Safe Food Handling: Four Simple Steps

CLEAN

Wash hands and surfaces often

- Wash your hands with warm water and soap for at least 20 seconds before and after handling food and after using the bathroom, changing diapers, and handling pets.
- Wash your cutting boards, dishes, utensils, and counter tops with hot soapy water after preparing each food item.
- Consider using paper towels to clean up kitchen surfaces. If you use cloth towels, launder them often in the hot cycle.
- Rinse fresh fruits and vegetables under running tap water, including those with skins and rinds that are not eaten. Scrub firm produce with a clean produce brush.
- With canned goods, remember to clean lids before opening.

SEPARATE

Separate raw meats from other foods

- Separate raw meat, poultry, seafood, and eggs from other foods in your grocery shopping cart, grocery bags, and refrigerator.
- Use one cutting board for fresh produce and a separate one for raw meat, poultry, and seafood.
- Never place cooked food on a plate that previously held raw meat, poultry, seafood, or eggs unless the plate has been washed in hot, soapy water.
- Don't reuse marinades used on raw foods unless you bring them to a boil first.

COOK

Cook to the right temperature

- Color and texture are unreliable indicators of safety. Using a food thermometer is the only way to ensure the safety of meat, poultry, seafood, and egg products for all cooking methods. These foods must be cooked to a safe to destroy any harmful bacteria.
- Cook eggs until the yolk and white are firm. Only use recipes in which eggs are cooked or heated thoroughly.
- When cooking in a microwave oven, cover food, stir, and rotate for even cooking. If there is no turntable, rotate the dish by hand once or twice during cooking. Always allow standing time, which completes the cooking, before checking the internal temperature with a food thermometer.
- Bring sauces, soups and gravy to a boil when reheating.

CHILL

Refrigerate foods promptly

- Use an appliance thermometer to be sure the temperature is consistently 40° F or below and the freezer temperature is 0° F or below.
 - Refrigerate or freeze meat, poultry, eggs, seafood, and other perishables within 2 hours of cooking or purchasing. Refrigerate within 1 hour if the temperature outside is above 90° F.
 - Never thaw food at room temperature, such as on the counter top. There are three safe ways to defrost food: in the refrigerator, in cold water, and in the microwave. Food thawed in cold water or in the microwave should be cooked immediately.
 - Always marinate food in the refrigerator.
 - Divide large amounts of leftovers into shallow containers for quicker cooling in the refrigerator.
-

The Dangers of Unpasteurized Milk

The Dangers of Unpasteurized Milk

U.S. Food and Drug Administration

From a US national health authority



Watch on

Additional Information

- [Raw Milk Main Page \(/food/resources-you-food/raw-milk\)](/food/resources-you-food/raw-milk)
- [Safe Food Handling \(/food/buy-store-serve-safe-food/safe-food-handling\)](/food/buy-store-serve-safe-food/safe-food-handling)
- [Updates on Highly Pathogenic Avian Influenza \(HPAI\) \(/food/alerts-advisories-safety-information/investigation-avian-influenza-h5n1-virus-dairy-cattle\)](/food/alerts-advisories-safety-information/investigation-avian-influenza-h5n1-virus-dairy-cattle)
- [Questions and Answers on Raw Milk \(/food/buy-store-serve-safe-food/raw-milk-questions-answers\)](/food/buy-store-serve-safe-food/raw-milk-questions-answers)
- [Raw Milk Misconceptions and the Danger of Raw Milk Consumption \(/food/buy-store-serve-safe-food/raw-milk-misconceptions-and-danger-raw-milk-consumption\)](/food/buy-store-serve-safe-food/raw-milk-misconceptions-and-danger-raw-milk-consumption)
- [FDA and CDC Remind Consumers of the Dangers of Drinking Raw Milk \(https://wayback.archive-it.org/7993/20170112015816/http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/2007/ucm108856.htm\)](https://wayback.archive-it.org/7993/20170112015816/http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/2007/ucm108856.htm)
[↗ \(http://www.fda.gov/about-fda/website-policies/website-disclaimer\)](http://www.fda.gov/about-fda/website-policies/website-disclaimer)
- [FoodSafety.gov: Myths About Raw Milk \(https://www.foodsafety.gov/keep/types/milk/index.html\)](https://www.foodsafety.gov/keep/types/milk/index.html)
- [CDC: Food Safety and Raw Milk \(http://www.cdc.gov/foodsafety/rawmilk/raw-milk-index.html\)](http://www.cdc.gov/foodsafety/rawmilk/raw-milk-index.html)

Was this page helpful? * (required)

Yes

No

Submit

 An official form of the United States government. Provided by [Touchpoints](#)